


High Quality With Global Standards, CE EMCB,RoHs,FCC,UL Certificated.

Specification

| | Indoor | | | | Outdoor | | | |
|-------------------------------|---|---------|---------|---------|----------------|---------|---------|---------|
| Pixel Pitch | 1.953mm | 2.604mm | 2.976mm | 3.91mm | 2.604mm | 2.976mm | 3.91mm | 4.81mm |
| LED type | SMD1515 | SMD1515 | SMD2121 | SMD2121 | SMD1415 | SMD1415 | SMD1921 | SMD2727 |
| Density(Dots/m ²) | 262144 | 147456 | 112896 | 65536 | 147456 | 112896 | 65536 | 43264 |
| Scan | 1/32 | 1/32 | 1/28 | 1/16 | 1/24 | 1/16 | 1/16 | 1/13 |
| Cabinet Resolution | 256x256 | 192x192 | 168x168 | 128x128 | 192x192 | 168x168 | 128x128 | 104x104 |
| Module Resolution | 128x128 | 96x96 | 84x84 | 64x64 | 96x96 | 84x84 | 64x64 | 52x52 |
| Waterproof Grade | IP54 | | | | IP65 | | | |
| Brightness | 800-1000 Nits | | | | 4500-5000 Nits | | | |
| Cabinet Weight | 6.7 kg/pcs | | | | | | | |
| Module Size | 250x250mm | | | | | | | |
| Cabinet Size | 500x500x80mm | | | | | | | |
| Material | Die cast Aluminum | | | | | | | |
| View Angle | 160 Degree(Horizontal) 140 Degree(Vertical) | | | | | | | |
| Refresh Rate | 1920-3840HZ | | | | | | | |
| Digital Processing | 14/16 Bits | | | | | | | |
| Gray Scale | 16384/65536 Level | | | | | | | |
| Colors | 687 Million | | | | | | | |
| Color Temperature | 4500-8500 Adjuststable | | | | | | | |
| Brightness Control | 255N/A | | | | | | | |
| Contrast Ratio | 4000:1 | | | | | | | |
| Control Mode | Sync | | | | | | | |
| Life Time | 100,000 Hours | | | | | | | |

Prevision RK-500K

RK-500K:P1.953/P2.604/P2.976/P3.91/P4.81




Rental LED display with front and back maintenance and flexible assembly.

Prevision RK-500K Series Indoor & Outdoor LED Display is the latest product from Prevision, featuring a unique design and advanced features. With its removable back cover, this display offers improved visual effects, delivering clean images and videos with uniform color.

Durability

The die-cast aluminum construction ensures robustness and longevity, making it suitable for frequent transportation and installation in rental applications.



Lightweight

Despite its sturdy build, the aluminum cabinet is lightweight, facilitating easier handling, setup, and dismantling during rental operations.



Only:6.7kg


Modular Design

The LED display screen employs a modular design, allowing for flexible assembly and disassembly according to specific rental requirements. This modular approach simplifies maintenance and repairs as individual components can be easily replaced if needed.




Easy maintenance

The combination of front and rear maintenance features in the die-cast aluminum cabinet design enhances the serviceability and longevity of the LED display screen, enabling timely maintenance interventions and ensuring optimal performance throughout its operational lifespan.




Seamless Integration

The precise manufacturing process results in cabinets with uniform dimensions, ensuring seamless integration and alignment of multiple panels to create a cohesive and visually appealing display.




Adjustable Tilt Angle

The die-cast aluminum cabinet is engineered to support a tilt angle of up to 45 degrees, allowing for flexible installation options to meet diverse viewing requirements. Whether mounted flat against a wall or angled for optimal viewing, the adjustable tilt angle ensures versatile positioning to accommodate various venue configurations and audience preferences.




U shap for rental LED screen

The U-shaped LED screen is versatile and adaptable, making it suitable for a wide range of indoor and outdoor applications where dynamic visual displays are desired to captivate audiences and enhance the overall event experience



cylindrical shape for rental LED screens

The cylindrical shape for rental LED screens provides a versatile and impactful display solution for a wide range of indoor and outdoor applications, allowing event organizers to create immersive and engaging experiences that captivate audiences from every angle.





P2.976 indoor rental LED screen



P3.91 outdoor rental LED screen



P1.953 indoor rental LED screen



P2.6 indoor rental LED screen